



# **Solmer**

## **SOLTECH LTD.**

368-2, SANMAKDONG, YANGSAN,  
KYOUNGNAM, 626-120, KOREA.

TEL : 82 55 387 6468  
FAX : 82 55 387 6470  
E-MAIL : [th.choi@uvpia.com](mailto:th.choi@uvpia.com)  
URL : <http://www.uvpia.com>

## *Slip Agent*

# **SZ 9136**

## Descriptions

SZ 9136 is a silicon acrylate developed for UV/EB cure coating applications requiring for slip, wetting and good flow.

## Features

- Silicon resin.
- Light color.
- Good stability in formulation.
- Low viscosity.
- Good wetting on various substrates.

## Specifications

- Viscosity (mPa.s, 25°C)	300 ~ 500
- Color ( Gardner )	2 Max
- Density ( g/cm <sup>3</sup> )	1.08
- Molecular weight	No data
- Silicon acrylate % by weight	100

## Applications

- Method : spray, screen, roll and curtain coating.
- Substrate : Metal, paper and plastics.
- Over print varnishes.
- Scratch resistance coating.
- Release coating.

## Handling

Storage :

Avoid continuous staying over than 40°C  
Handle with care and avoid unnecessary personal contact.

Avoid contact with eyes and prolonged or repeated skin contact.

Avoid continuous or repetitive breathing of dust.